



SOULBIO DR/SSK (All-powerful softener)

- Chemical Composition
 - Fatty acid amine derivatives
- Technical Specification
 - ☆ Appearance : pale yellow flakes
 - ☆ pH value : 4~6 (5~10% solution)
 - ☆ Ionicity : weak cationic
- Dissolving Method
 - ☆ Temperature raising : Add the flakes in water (room temperature) gradually in the proportion of 5-10%, stir them and heat up to 65-75°C and stir them for 30-60mins again until the flakes become an even paste, then cool it down.
 - ☆ High temperature : Add the flakes in water (65-75°C) gradually in the proportion of 5-10%, stir them for 30-60mins again until the flakes become an even paste, then cool it down.
- Properties
 - ☆ Impart very soft and fluffy handle to fabric
 - ☆ Impart smooth handle to fabric with low yellowing and low foaming
- Field of Application
 - For all kinds of fibres and fabrics, designed for dyeing house
- Application
 - ☆ Padding : Dosage : 20~30g/L (10% solution), Temperature : 30~40°C,
Process : one dip and one pad or two dips and two pads
 - ☆ Dipping : Dosage : 3~8% (o.w.f.) (10% solution), Liquor ratio : 1 : 10~15,
Temperature : 40~50°C, Time : 30min
- Storage and Packing
 - Shelf life : 12 months when store in cool, dry and shaded warehouse.
 - Packing : 25kg plastic woven bag.

○ Compatibility of other auxiliaries and process need to be checked before application



Global Chemicals International Ltd.
高寶化工國際有限公司

China Tel: 0769 86290888 Fax: 0769 83392294

HongKong Tel: +852 25222811 Fax: +852 29730033

Growing with You

你的希望 我的可能